


1. Let  $V(t)$  be the volume of water in a tank (in liters), at time  $t$  (in seconds).
  - (a) What are the meaning and units of  $\frac{dV}{dt}$ ?
  - (b) The tank is full at time  $t_0$ , so that  $V(t_0) > 0$ . At some later time  $t_1$  a drain is opened 20 cm above the bottom of the tank (which is taller than 20cm), emptying water from the side of the tank. Is  $\frac{dV}{dt}$  positive, negative, or zero at the following times:
    - i. at time  $t$  with  $t_0 < t < t_1$ ?
    - ii. after the drain has been opened at  $t_1$ , but before the water has dropped to 20 cm above the bottom of the tank?
    - iii. after the water drops to the drain hole 20 cm above the bottom of the tank?
  
2. Let  $f(t)$  be the amount of rain in cm, that has fallen since midnight, with  $t$  measured in hours. Interpret the following in practical terms, giving units.
  - (a)  $f(7) = 2.4$
  - (b)  $f'(7) = 0.21$
  - (c)  $f^{-1}(3) = 12.3$
  - (d)  $(f^{-1})'(3) = 86$
  
3. Sketch the graph of an example of a function  $f$  that satisfies all of the given conditions:
  - $\lim_{x \rightarrow 2} f(x) = \infty$
  - $\lim_{x \rightarrow -2^+} f(x) = \infty$
  - $\lim_{x \rightarrow -2^-} f(x) = -\infty$
  - $\lim_{x \rightarrow -\infty} f(x) = 0$
  - $\lim_{x \rightarrow \infty} f(x) = 0$
  - $f(0) = 0$
  
4. Find the limit.
  - (a)  $\lim_{x \rightarrow \infty} \frac{x+2}{\sqrt{9x^2+1}}$
  - (b)  $\lim_{x \rightarrow \infty} \frac{\sin^2(x)}{x^2}$
  
5. Find a formula for a function that has vertical asymptotes  $x = 1$  and  $x = 3$  and horizontal asymptote  $y = 1$ .

6. (a) A tank contains 5000 L of pure water. Brine that contains 30 g of salt per liter of water is pumped into the tank at a rate of 25 L/min. Show that the concentration of salt after  $t$  minutes (in grams per liter) is

$$C(t) = \frac{30t}{200 + t}$$


- (b) What happens to the concentration as  $t \rightarrow \infty$ ?

7. Shown are graphs of the position functions of two runners, A and B, who run a 100-m race and finish in a tie.



- (a) Describe and compare how the runners run the race.  
 (b) At what time is the distance between the runners the greatest?  
 (c) At what time do they have the same velocity?
8. For the function  $g$  whose graph is given, arrange the following numbers in increasing order and explain your reasoning:


- 0
- $g'(-2)$
- $g'(0)$
- $g'(2)$
- $g'(4)$



9. Sketch the graph of a function  $f$  for which  $f(0) = 0$ ,  $f'(0) = 3$ ,  $f'(1) = 0$ , and  $f'(2) = -1$ .
10. Use the limit definition of the derivative to find  $f'(a)$  given the following function:

$$f(x) = x^{-2}$$

11. Trace or copy the graph of the given function  $f$ . (Assume that the axes have equal scales.) Then use the method outlined in Example 1 on page 146 of your text to sketch the graph of  $f'$  below it.



12. Let  $P(t)$  be the percentage of Americans under the age of 18 at time  $t$ . The table gives values of this function in census years from 1950 to 2000.

$t$	$P(t)$	$t$	$P(t)$
1950	31.1	1980	28.0
1960	35.7	1990	25.7
1970	34.0	2000	25.7

- (a) What is the meaning of  $P'(t)$ ? What are its units?
- (b) Construct a table of estimated values for  $P'(t)$ .
- (c) Graph  $P$  and  $P'$ .
- (d) How would it be possible to get more accurate values for  $P'(t)$ ?

*Optional Challenge Problems*

Below are challenge problems on limits involving infinity. Show and clearly explain all work. Confirm each result you get graphically and/or numerically.

1. Find  $\lim_{x \rightarrow \infty} \frac{\sqrt{4x^2 + 7x}}{x}$  and  $\lim_{x \rightarrow -\infty} \frac{\sqrt{4x^2 + 7x}}{x}$
2. Find  $\lim_{x \rightarrow \infty} (\sqrt{x^2 + 10x} - x)$  and  $\lim_{x \rightarrow -\infty} (\sqrt{x^2 + 10x} - x)$
3. Find  $\lim_{x \rightarrow \infty} (\sqrt{x^2 + 11x} - \sqrt{x^2 + 5x})$  and  $\lim_{x \rightarrow -\infty} (\sqrt{x^2 + 11x} - \sqrt{x^2 + 5x})$
4. Modify the constants in the function of the last problem so that the horizontal asymptotes lie at  $y = \pm 15$ .