6.1 Areas Between Curves

Integration with Respect to x	**Integration with Respect to y**
Choose to integrate with respect to x if the region is vertically bounded (i.e., top and bottom curves).  The area is given by: height of each line $\text{Area} = \int_a^b (y_T - y_B)\, dx$	Choose to integrate with respect to y if the region is horizontally bounded (i.e., right and left curves).  The area is given by: length of each line $\text{Area} = \int_c^d (x_R - x_L)\, dy$

To add up all of the vertical lines, we integrate across the x-axis.

To add up all of the horizontal lines, we integrate across the y-axis

Area Between Curves: Integrating With Respect to x

Example. Find the area of the region bounded above by $y = e^x$, bounded below by $y = x$, and bounded on the sides by $x = 0$ and $x = 1$.



$y_T = e^x$ and $y_B = x$

$$A = \int_a^b y_T - y_B \, dx = \int_0^1 e^x - x \, dx = \left[e^x - \tfrac{1}{2}x^2 \right]_0^1$$

$$= \left(e - \tfrac{1}{2}\right) - \left(e^0 - 0\right)$$

$$= e - 1.5$$

Example. Find the area of the region enclosed by the parabolas $y = x^2$ and $y = 2x - x^2$.



$y_T = 2x - x^2$ and $y_B = x^2$

Solve: $x^2 = 2x - x^2 \Rightarrow 2x^2 - 2x = 0$

$\Rightarrow x^2 - x = 0$

$\Rightarrow x(x-1) = 0$

$\Rightarrow x = 0$ or $x = 1$

should be able to find intersection points.

$$A = \int_0^1 \underbrace{(2x - x^2)}_{y_T} - \underbrace{x^2}_{y_B} \, dx = \int_0^1 2x - 2x^2 \, dx = \frac{1}{3}$$

Sometimes we are asked to find the area between the curves $y = f(x)$ and and $y = g(x)$ where $f(x) \geq g(x)$ for some values of x but $g(x) \geq f(x)$ for other values of x.



In this case, we split the given region S into several regions $S_1, S_2, \ldots$ with areas $A_1, A_2, \ldots$. The total area is

$$A = A_1 + A_2 + \cdots = \int_a^b |f(x) - g(x)|\, dx$$

Example. Find the area of the region bounded by the curves $y = \sin x$, $y = \cos x$, $x = 0$, and $x = \pi/2$.



The point of intersection is when $\sin(x) = \cos(x) \Rightarrow x = \frac{\pi}{4}$

$$A = A_1 + A_2 = \int_0^{\pi/4} \overbrace{\cos(x) - \sin(x)}^{y_T - y_B}\, dx + \int_{\pi/4}^{\pi/2} \overbrace{\sin(x) - \cos(x)}^{y_T - y_B}\, dx$$

$$= \Big[\sin(x) + \cos(x)\Big]_0^{\pi/4} + \Big[-\cos(x) - \sin(x)\Big]_{\pi/4}^{\pi/2}$$

$$= (\sqrt{2} - 1) + (\sqrt{2} - 1)$$

$$= 2\sqrt{2} - 2$$

Area Between Curves: Integrating With Respect to y

Example. Find the area enclosed by the line $y = x - 1$ and the parabola $y^2 = 2x + 6$.



$$X_L = \frac{1}{2}y^2 - 3 \qquad x_R = y + 1$$

The intersection points are $(-1,-2)$ and $(5,4)$ [solve for these]

$$A = \int_c^d x_R - x_L \, dy = \int_{-2}^{4} (y+1) - \left(\tfrac{1}{2}y^2 - 3\right) dy = 18$$

Example. Find the area of the region enclosed by the curves $y = 1/x$, $y = x$, and $y = \frac{1}{4}x$, using

(a) x as the variable of integration.

(b) y as the variable of integration.



(a) $A = A_1 + A_2 = \int_0^1 \overbrace{x - \tfrac{1}{4}x}^{y_T - y_B}\,dx + \int_1^2 \overbrace{\tfrac{1}{x} - \tfrac{1}{4}x}^{y_T - y_B}\,dx = \ln 2$

(b) $A = A_1 + A_2 = \int_0^{1/2} \overbrace{4y - y}^{x_R - x_L}\,dy + \int_{1/2}^1 \overbrace{\tfrac{1}{y} - y}^{x_R - x_L}\,dy = \ln 2$